# SAFETY DATA SHEET

1. Identification

Product number 1000004670

Product identifier 14 OZ MG 69 LB 12PK

Revision date 12-19-2014

Company information OBCO CHEMICAL CORPORATION

7248 SPA ROAD

CHARLESTON, SC 29418 United States

Company phone General Assistance 843-572-6688

**Emergency telephone US** 1-866-836-8855 **Emergency telephone outside** 1-952-852-4646

US

Version # 02

Supersedes date 12-18-2014

Recommended use Lubricant

Recommended restrictions None known.

2. Hazard(s) identification

Physical hazardsFlammable aerosolsCategory 1Health hazardsReproductive toxicity (fertility)Category 2

Environmental hazards Not classified.

OSHA defined hazards Not classified.

Label elements



Signal word Danger

Hazard statement Extremely flammable aerosol. Suspected of damaging fertility.

**Precautionary statement** 

Prevention Obtain special instructions before use. Do not handle until all safety precautions have been read

and understood. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Wear protective gloves/protective clothing/eye protection/face protection.

**Response** If exposed or concerned: Get medical advice/attention.

Storage Store locked up. Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

# 3. Composition/information on ingredients

## **Mixtures**

Chemical name	Common name and synonyms	CAS number	%
Distillates, Petroleum, Hydrotreated Middle		64742-46-7	20 - 40
Carbon Dioxide		124-38-9	2.5 - 10
Dipropylene Glycol Monomethyl Ether		34590-94-8	2.5 - 10

Product name: 14 OZ MG 69 LB 12PK

Chemical name	Common name and synonyms	CAS number	%
Octamethylcyclotetrasiloxane		556-67-2	2.5 - 10
Mineral Oil		64742-54-7	0.1 - 1
Other components below reportable	levels		40 - 60

<sup>\*</sup>Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

# 4. First-aid measures

**Inhalation** If symptoms develop move victim to fresh air. Get medical attention if symptoms persist.

**Skin contact** Wash off with soap and water.

**Eye contact** Rinse with water. Get medical attention if irritation develops and persists.

**Ingestion** In the unlikely event of swallowing contact a physician or poison control center. Rinse mouth. Do

not induce vomiting without advice from poison control center. If vomiting occurs, keep head low

so that stomach content doesn't get into the lungs.

Most important symptoms/effects, acute and delayed

Direct contact with eyes may cause temporary irritation.

Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

General information

IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

# 5. Fire-fighting measures

Suitable extinguishing media Unsuitable extinguishing Water fog. Foam. Dry chemical powder. Dry chemicals. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

media
Specific hazards arising from the chemical

Contents under pressure. Pressurized container may explode when exposed to heat or flame.

Special protective equipment and precautions for firefighters

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

Fire-fighting equipment/instructions

Move containers from fire area if you can do so without risk. Cool containers exposed to heat with water spray and remove container, if no risk is involved. Containers should be cooled with water to prevent vapor pressure build up. For massive fire in cargo area, use unmanned hose holder or monitor nozzles, if possible. If not, withdraw and let fire burn out.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials. Move containers from fire area if you can do so without risk. In the event of fire and/or explosion do not breathe fumes.

General fire hazards

Extremely flammable aerosol. Flammable aerosol.

# 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Refer to attached safety data sheets and/or instructions for use. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. Stop leak if you can do so without risk. Move the cylinder to a safe and open area if the leak is irreparable. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. For waste disposal, see section 13 of the SDS.

**Environmental precautions** 

Avoid discharge into drains, water courses or onto the ground.

Product name: 14 OZ MG 69 LB 12PK SDS US

# 7. Handling and storage

## Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Pressurized container: Do not pierce or burn, even after use. Do not use if spray button is missing or defective. Do not spray on a naked flame or any other incandescent material. Do not smoke while using or until sprayed surface is thoroughly dry. Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. All equipment used when handling the product must be grounded. Do not re-use empty containers. Avoid prolonged or repeated contact with skin. Avoid prolonged exposure. Use only in well-ventilated areas. Should be handled in closed systems, if possible. Pregnant or breastfeeding women must not handle this product. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

# Conditions for safe storage, including any incompatibilities

Level 2 Aerosol.

Store locked up. Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 50°C/122°F. Do not puncture, incinerate or crush. Do not handle or store near an open flame, heat or other sources of ignition. This material can accumulate static charge which may cause spark and become an ignition source. Refrigeration recommended. Store away from incompatible materials (see Section 10 of the SDS). Level 2 Aerosol.

# 8. Exposure controls/personal protection

#### Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value	
Carbon Dioxide (CAS 124-38-9)	PEL	9000 mg/m3	
,		5000 ppm	
Dipropylene Glycol	PEL	600 mg/m3	
Monomethyl Ether (CAS 34590-94-8)			
		100 ppm	
<b>US. ACGIH Threshold Limit Valu</b>	ies		
Components	Туре	Value	
Carbon Dioxide (CAS 124-38-9)	STEL	30000 ppm	
·	TWA	5000 ppm	
Dipropylene Glycol Monomethyl Ether (CAS 34590-94-8)	STEL	150 ppm	
0.000 0.00	TWA	100 ppm	
US. NIOSH: Pocket Guide to Che	emical Hazards		
Components	Туре	Value	
Carbon Dioxide (CAS 124-38-9)	STEL	54000 mg/m3	
,		30000 ppm	
	TWA	9000 mg/m3	
		5000 ppm	
Dipropylene Glycol Monomethyl Ether (CAS 34590-94-8)	STEL	900 mg/m3	
•		150 ppm	
	TWA	600 mg/m3	
		100 ppm	

**Biological limit values** 

No biological exposure limits noted for the ingredient(s).

**Exposure guidelines** 

US - California OELs: Skin designation

Dipropylene Glycol Monomethyl Ether (CAS 34590-94-8) Can be absorbed through the skin.

US - Tennesse OELs: Skin designation

Dipropylene Glycol Monomethyl Ether (CAS 34590-94-8) Can be absorbed through the skin.

**US ACGIH Threshold Limit Values: Skin designation** 

Dipropylene Glycol Monomethyl Ether (CAS 34590-94-8) Can be absorbed through the skin.

Product name: 14 OZ MG 69 LB 12PK

SDS US

# US NIOSH Pocket Guide to Chemical Hazards: Skin designation

Dipropylene Glycol Monomethyl Ether (CAS 34590-94-8) Can be absorbed through the skin.

#### US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Dipropylene Glycol Monomethyl Ether (CAS 34590-94-8) Can be absorbed through the skin.

Appropriate engineering

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

### Individual protection measures, such as personal protective equipment

Eye/face protection Chemical respirator with organic vapor cartridge and full facepiece.

Wear appropriate chemical resistant gloves. Hand protection

Skin protection

Other Use of an impervious apron is recommended.

Skin protection

Respiratory protection Chemical respirator with organic vapor cartridge and full facepiece.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

When using, do not eat, drink or smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

# 9. Physical and chemical properties

**Appearance** 

Physical state Gas **Form** Aerosol. Color Brown.

Odor Characteristic. **Odor threshold** Not available. Not available. рH Melting point/freezing point Not available.

Initial boiling point and boiling

range

Flash point

134.6 °F (57.0 °C) estimated

596.22 °F (313.45 °C) estimated

**Evaporation rate** Not available. Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits

Flammability limit - lower

0.6 % estimated

(%)

Flammability limit - upper

7 % estimated

(%)

Explosive limit - lower (%) Not available. Not available. Explosive limit - upper (%)

Vapor pressure 65 - 85 psig @70F estimated

Vapor density Not available. Relative density Not available.

Solubility(ies)

Not available. Solubility (water) Not available. Partition coefficient

(n-octanol/water)

834.8 °F (446 °C) estimated **Auto-ignition temperature** 

Not available. **Decomposition temperature Viscosity** Not available.

Other information

Specific gravity 1.051 estimated

Product name: 14 OZ MG 69 LB 12PK

# 10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

**Chemical stability** Material is stable under normal conditions. Possibility of hazardous Hazardous polymerization does not occur.

reactions

Avoid temperatures exceeding the flash point. Contact with incompatible materials. Conditions to avoid

Incompatible materials Strong oxidizing agents.

**Hazardous decomposition** 

products

No hazardous decomposition products are known.

# 11. Toxicological information

## Information on likely routes of exposure

Ingestion Expected to be a low ingestion hazard. Inhalation Prolonged inhalation may be harmful.

Skin contact No adverse effects due to skin contact are expected. Eye contact Direct contact with eyes may cause temporary irritation. Direct contact with eyes may cause temporary irritation.

Symptoms related to the physical, chemical and toxicological characteristics

## Information on toxicological effects

# **Acute toxicity**

Acute	Product	Species	Test Results
Demai   LD50	14 OZ MG 69 LB 12PK (CA	AS Mixture)	
LD50	Acute		
Rat   307.6923 ml/kg, 24 Hours estimated     Inhalation   LC50   Rat   20960.2188 mg/m3, 4 Hours estimated     Inhalation   20960.2188 mg/m3, 4 Hours     Inhalation   20960.2188			
Rat   615.3846 ml/kg, Hours estimated   Inhalation   LC50	LD50	Rabbit	4796.8486 mg/kg, 24 Hours estimated
Inhalation			307.6923 ml/kg, 24 Hours estimated
LC50 Rat 20960.2188 mg/m3, 4 Hours estimated 17015.3848 ppm, 8 Hours estimated 17015.3848 ppm, 8 Hours estimated 8461.5381 ppm, 7 Hours estimated 4.6031 mg/l, 4 Hours estimated 5.000 pp. 230.7692 ml/kg estimated 166.1538 m		Rat	615.3846 ml/kg, Hours estimated
17015.3848 ppm, 8 Hours estimated 8461.5381 ppm, 7 Hours estimated 4.6031 mg/l, 4 Hours estimated 34722.2227 mg/kg estimated 166.1538 ml/kg	Inhalation		
Section   Sect	LC50	Rat	20960.2188 mg/m3, 4 Hours estimated
A.6031 mg/l, 4 Hours estimated			17015.3848 ppm, 8 Hours estimated
Oral         LD50         Dog         230.7692 ml/kg estimated           Rat         34722.2227 mg/kg estimated         166.1538 ml/kg estimated           Components         Species         Test Results           Dipropylene Glycol Monomethyl Ether (CAS 34590-94-8)         Acute           Dermal         LD50         Rabbit         9510 mg/kg, 24 Hours           LD50         Rat         > 19020 mg/kg, Hours           Rat         > 20 ml/kg, Hours           Inhalation         LC50         Rat         > 553 ppm, 8 Hours           Oral         Oral         Oral			8461.5381 ppm, 7 Hours estimated
LD50       Dog       230.7692 ml/kg estimated         Rat       34722.2227 mg/kg estimated         166.1538 ml/kg estimated       166.1538 ml/kg estimated         Test Results         Dipropylene Glycol Monomethyl Ether (CAS 34590-94-8)         Acute         Dermal       9510 mg/kg, 24 Hours         LD50       Rabbit       9510 mg/kg, 24 Hours         10 ml/kg, 24 Hours       > 19020 mg/kg, Hours         > 20 ml/kg, Hours       > 20 ml/kg, Hours         Inhalation       C50       Rat       > 553 ppm, 8 Hours         > 275 ppm, 7 Hours       Oral			4.6031 mg/l, 4 Hours estimated
Rat   34722.2227 mg/kg estimated   166.1538 ml/kg estimated   166.1538 ml/kg estimated	Oral		
Components   Species   Test Results	LD50	Dog	230.7692 ml/kg estimated
Components         Species         Test Results           Dipropylene Glycol Monomethyl Ether (CAS 34590-94-8)         Acute           Dermal         LD50         Rabbit         9510 mg/kg, 24 Hours           LD50         Rat         10 ml/kg, 24 Hours           Rat         > 19020 mg/kg, Hours           > 20 ml/kg, Hours         > 20 ml/kg, Hours           LC50         Rat         > 553 ppm, 8 Hours           > 275 ppm, 7 Hours           Oral		Rat	34722.2227 mg/kg estimated
Dipropylene Glycol Monomethyl Ether (CAS 34590-94-8)  Acute  Dermal  LD50 Rabbit 9510 mg/kg, 24 Hours  10 ml/kg, 24 Hours  > 10 ml/kg, 24 Hours  > 19020 mg/kg, Hours  > 20 ml/kg, Hours  Inhalation  LC50 Rat > 553 ppm, 8 Hours  > 275 ppm, 7 Hours  Oral			166.1538 ml/kg estimated
Acute         Dermal         LD50       Rabbit       9510 mg/kg, 24 Hours         10 ml/kg, 24 Hours       10 ml/kg, 24 Hours         Rat       > 19020 mg/kg, Hours         > 20 ml/kg, Hours       > 20 ml/kg, Hours         LC50       Rat       > 553 ppm, 8 Hours         > 275 ppm, 7 Hours	Components	Species	Test Results
Dermal         LD50       Rabbit       9510 mg/kg, 24 Hours         10 ml/kg, 24 Hours       10 ml/kg, 24 Hours         > 19020 mg/kg, Hours       > 20 ml/kg, Hours         Inhalation       LC50       Rat       > 553 ppm, 8 Hours         Oral       Oral	Dipropylene Glycol Monomo	ethyl Ether (CAS 34590-94-8)	
LD50       Rabbit       9510 mg/kg, 24 Hours         10 ml/kg, 24 Hours       10 ml/kg, 24 Hours         > 19020 mg/kg, Hours       > 20 ml/kg, Hours         Inhalation       LC50       Rat       > 553 ppm, 8 Hours         Oral       Oral	Acute		
10 ml/kg, 24 Hours   10 ml/kg, 24 Hours   > 19020 mg/kg, Hours   > 20 ml/kg, Hours   > 20 ml/kg, Hours   > 20 ml/kg, Hours   > 253 ppm, 8 Hours   > 275 ppm, 7 Hours   > 275 pp			
Rat > 19020 mg/kg, Hours > 20 ml/kg, Hours   Inhalation   LC50   Rat   > 553 ppm, 8 Hours   > 275 ppm, 7 Hours   Oral	LD50	Rabbit	9510 mg/kg, 24 Hours
> 20 ml/kg, Hours  Inhalation LC50 Rat > 553 ppm, 8 Hours > 275 ppm, 7 Hours  Oral			10 ml/kg, 24 Hours
Inhalation LC50 Rat > 553 ppm, 8 Hours > 275 ppm, 7 Hours  Oral		Rat	> 19020 mg/kg, Hours
LC50 Rat > 553 ppm, 8 Hours > 275 ppm, 7 Hours  Oral			> 20 ml/kg, Hours
> 275 ppm, 7 Hours	Inhalation		
Oral	LC50	Rat	> 553 ppm, 8 Hours
			> 275 ppm, 7 Hours
LD50 Dog 7.5 ml/kg	Oral		
	LD50	Dog	7.5 ml/kg

ComponentsSpeciesTest ResultsRat5.4 ml/kg

Distillates, Petroleum, Hydrotreated Middle (CAS 64742-46-7)

**Acute** 

Dermal

LD50 Rabbit > 2000 mg/kg, 24 Hours

Inhalation

LC50 Rat 7640 mg/m3, 4 Hours

1.72 mg/l, 4 Hours

Mineral Oil (CAS 64742-54-7)

Acute Dermal

LD50 Rabbit > 2000 mg/kg

> 2000 mg/kg, 24 Hours

Inhalation

LC50 Rat 2.18 mg/l, 4 Hours

Oral

LD50 Rat 5000 mg/kg

**Skin corrosion/irritation** Prolonged skin contact may cause temporary irritation. **Serious eye damage/eye** Direct contact with eyes may cause temporary irritation.

irritation

Respiratory or skin sensitization

Respiratory sensitization Not available.

**Skin sensitization** This product is not expected to cause skin sensitization.

**Germ cell mutagenicity**No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

**Carcinogenicity** This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

**Reproductive toxicity** Suspected of damaging fertility.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Not available.

**Chronic effects** Prolonged inhalation may be harmful.

## 12. Ecological information

**Ecotoxicity**The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components

Species

Test Results

Mineral Oil (CAS 64742-54-7)

Aquatic

Crustacea EC50 Daphnia 1000.0001 mg/L, 48 Hours

Fish LC50 Fish 5001, 96 Hours

\* Estimates for product may be based on additional component data not shown.

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential No data available.

Mobility in soil No data available.

Product name: 14 OZ MG 69 LB 12PK

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

# 13. Disposal considerations

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Contents **Disposal instructions** 

under pressure. Do not puncture, incinerate or crush. Dispose of contents/container in accordance

with local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

The waste code should be assigned in discussion between the user, the producer and the waste Hazardous waste code

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Empty containers should be taken to an approved waste handling site for recycling or disposal. Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Do not re-use empty containers.

# 14. Transport information

### DOT

UN1950 **UN** number

Aerosols, flammable **UN** proper shipping name

Transport hazard class(es)

Class 2.1 Subsidiary risk None Label(s)

Packing group Not applicable.

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

**Special provisions** N82 Packaging exceptions 306 Packaging non bulk None None Packaging bulk

This product meets the exception requirements of section 173.306 as a limited quantity and may be shipped as a limited quantity. Until 12/31/2020, the "Consumer Commodity - ORM-D" marking may still be used in place of the new limited quantity diamond mark for packages of UN 1950 Aerosols. Limited quantities require the limited quantity diamond mark on cartons after 12/31/20 and may be used now in place of the "Consumer Commodity ORM-D" marking and both may be displayed concurrently.

#### **IATA**

UN1950 **UN** number

**UN** proper shipping name Aerosols, flammable

Transport hazard class(es)

Class 2.1 Subsidiary risk Label(s) 2.1

Packing group Not applicable.

**Environmental hazards** No. 2L **ERG Code** 

Other information

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Passenger and cargo

Allowed.

aircraft

Cargo aircraft only Allowed. **Packaging Exceptions** LTD QTY

**IMDG** 

**UN number** UN1950 **UN proper shipping name AEROSOLS** 

Transport hazard class(es)

**Class** 2.1 Subsidiary risk Label(s) None

Packing group Not applicable.

**Environmental hazards** 

Marine pollutant No.

Product name: 14 OZ MG 69 LB 12PK 7/9

Not available. **EmS** 

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

LTD QTY **Packaging Exceptions** 

Transport in bulk according to Annex II of MARPOL 73/78 and This substance/mixture is not intended to be transported in bulk.

the IBC Code

DOT



IATA; IMDG



# 15. Regulatory information

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication **US federal regulations** 

Standard, 29 CFR 1910,1200.

All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

**Hazard categories** Immediate Hazard - No

Delayed Hazard - Yes Fire Hazard - Yes Pressure Hazard - Yes Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous No

chemical

SARA 313 (TRI reporting)

Not regulated.

# Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Product name: 14 OZ MG 69 LB 12PK Product #: 1000004670 Version #: 02 Revision date: 12-19-2014 Issue date: 12-18-2014 Safe Drinking Water Act

(SDWA)

Not regulated.

#### US state regulations

# **US. Massachusetts RTK - Substance List**

Carbon Dioxide (CAS 124-38-9)

Dipropylene Glycol Monomethyl Ether (CAS 34590-94-8)

## US. New Jersey Worker and Community Right-to-Know Act

Carbon Dioxide (CAS 124-38-9)

Dipropylene Glycol Monomethyl Ether (CAS 34590-94-8)

### US. Pennsylvania Worker and Community Right-to-Know Law

Carbon Dioxide (CAS 124-38-9)

Dipropylene Glycol Monomethyl Ether (CAS 34590-94-8)

#### US. Rhode Island RTK

Not regulated.

# **US. California Proposition 65**

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

#### **International Inventories**

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No

<sup>\*</sup>A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

Toxic Substances Control Act (TSCA) Inventory

## 16. Other information, including date of preparation or last revision

Issue date 12-18-2014 12-19-2014 **Revision date** 

Version #

United States & Puerto Rico

Disclaimer We cannot anticipate all conditions under which this information and its product, or the products of

> other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its

publication. The information given is designed only as a guidance for safe handling, use,

processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless

specified in the text.

Product #: 1000004670 Version #: 02 Revision date: 12-19-2014 Issue date: 12-18-2014

SDS US

Yes